

ESSLI2022 Advanced Course on Computational Models of Grounding in Dialogue

David Traum traum@ict.usc.edu


Lecture 2: Tuesday August 9th, 2022

Outline of Course (covered today)


- Preliminaries: representation, agency, communication, definitions & uses for common ground
- Common Ground: How it is modeled and achieved
- Clark & Schaefer's Model of Grounding
- **Computational Models of Grounding I: Brennan & Cahn**
- **Feedback and Error-handling in Spoken Dialogue Systems**
- **Speech Acts and Dialogue Acts**
- **Multi-functionality of Utterances**
- **Computational Models of Grounding II: Traum '94**
- **Decision-theoretic models of grounding**
- **Multi-modal Grounding**
- **Multiparty Multilingual & Multi-floor Grounding**
- **Degrees of Grounding**
- **Incremental Grounding**
- **Use of grounding for other phenomena**

REVIEW OF YESTERDAY

Communication



Miscommunication



An orange



Common Ground needed for

- **Concepts (objects, actions, plans,...)**
- **Sound -> language Phoneme**
- **Phonology**
- **Morphology**
- **Concept -> word**
- **Syntax**
- **Semantics**
- **Pragmatics**
- **Coordination**
- **Convention**
 - Which side of the street to drive on?

Models of Common Ground (MK, MB,...)

- **Primitive Attitude**
- **Iterated (Schiffer 72)**
 - $K_s p \wedge K_{Ap} \wedge K_s K_{Ap} \wedge K_A K_s p \wedge K_s K_A K_s p \wedge \dots$
- **One-sided (e.g., Cohen '78 BMB)**
- **Fixed Point (Harman 77):** “A group of people have mutual knowledge of *p* if each knows *p* and we know *this*, where *this* refers to the whole fact known”
- **Shared Situation (Lewis 69):** Let us say that it is *common knowledge* in a population *P* that *X* if and only if some state of affairs *A* holds such that:
 1. Everyone in *P* has reason to believe that *A* holds.
 2. *A* indicates to everyone in *P* that everyone in *P* has reason to believe that *A* holds.
 3. *A* indicates to everyone in *P* that *X*.


How is Common Ground Achieved/Assumed?

- **Iterated: proof of individual attitudes**
 - Truncation heuristics
 - Circular pointer in deepest beliefs (Cohen 78)
- **Shared Situation**
 - Observation of situation
 - Assumptions of sharedness (Clark & Marshall 81)
- **Grounding**
 - Feedback process (Clark & Schaefer 89)

Clark and Wilks-Gibbs 1986: Tangram Task

1. All right, the next one looks like a person who's ice skating, except they're sticking two arms out in front.
2. Um, the next one's the person ice skating that has two arms?
3. The fourth one is the person ice skating, with two arms.
4. The next one's the ice skater.
5. The fourth one's the ice skater.
6. The ice skater.

Figure 1. *The 12 Tangram figures arranged by directors and matchers.*




Clark & Schaefer's contribution model

▪ Contributions to dialogue are collaborative achievements composed of two phases:

- **Presentation Phase:** **A** presents utterance **u** for **B** to consider. He does so on the assumption that, if **B** gives evidence **e** or stronger, he can believe that **B** understands what **A** means by **u**
- **Acceptance Phase:** **B** accepts utterance **u** by giving evidence **e'** that he believes he understands what **A** means by **u**. He does so on the assumption that, once **A** registers evidence **e'**, he will also believe that **B** understands.

Serial Contribution Graphs



Contribution Model

- **Each signal is also a presentation to be grounded**

- Recursive model

- **Grounding Criterion:** “The contributor and the partners mutually believe that the partners have understood what the contributor meant to a criterion sufficient for the current purpose”

- **Graded Evidence:**

1	Display	B displays verbatim all or part of A’s presentation.
2	Demonstration	B demonstrates all or part of what he has understood A to mean.
3	Acknowledgement	B nods or says “uh huh”, “yeah”, or the like.
4	Initiation of relevant next contribution	B starts in on the next contribution that would be relevant at a level as high as the current one.
5	Continued attention	B shows that he is continuing to attend and therefore remains satisfied with A’s presentation.

Deficiencies of Contribution Model

- **Off-line model**
 - No way to tell recursion has finished until after the fact
 - No clear specification of moves (for interpretation & generation)
 - Not predictive of next utterances
- **Issues with types of evidence**

COMPUTATIONAL MODELS OF GROUNDING I: BRENNAN AND CAHN 99

Brennan & Cahn 1999: Extensions to Clark and Schaefer

1. **All contribution graphs are private models from an individual's point of view**
 - C&S graph seen as composite final product
 - Incrementally constructed, utterance by utterance
2. **Task-specific heuristics for assessing evidence of understanding and grounding criterion**
3. **Principles for embedding contributions: only when not meeting grounding criterion**
4. **Addition of “Exchange” structure: propose and execute**
 - Remove unrooted medial contributions

Brennan & Cahn 1999:

- **Making contribution model more computational**

- Multiple graphs from different points of view
- Complex update operations
- C&S:



(1) A: who evaluates the property

(2) B: uh whoever you ask.. the surveyor for the building society


(3) A: no, I meant who decides what price it'll go on the market -

(4) B: (-snorts) whatever people will pay -

- B&C:



Brenan and Cahn: Use for dialogue with database application



FEEDBACK AND ERROR HANDLING IN SPOKEN DIALOGUE SYSTEMS

Types of Feedback (Allwood et al 92)

▪ Levels:

- Contact
- Perception
- Understanding
- Attitudinal Reaction

▪ Signals types

- Request feedback
- Prepare other
- Provide
 - Positive
 - negative

Requesting Feedback



Copyright © 1998 United Feature Syndicate, Inc.
Redistribution in whole or in part prohibited

Some Styles of Verbal Response

- 1 **Sys:** Where do you want to go?
- 2 **User:** Boston.
- 3a **Sys:** When would you like to go?
- 3b Tell me more about your travel plans.
- 3c When would you like to go to Boston?
- 3d Do you want to go to Boston?
- 3e Did you say Boston?
- 3f Boston?
- 3g Boston or Austin?
- 3h Where?
- 3i Please Repeat.

Detecting & Verifying ASR Errors: Krahmer et. al. 2001

- S₁: Good morning, this is the talking computer. From which station to which station do you want to travel?
- U₁: From Eindhoven to Reuver.
- S₂: On what day do you want to travel from Eindhoven to Winsum?
- U₂: I want to travel at 8 'o clock from Eindhoven to Reuver.
- S₃: On what day do you want to travel from Eindhoven to Utrecht CS at 8 'o clock in the morning?
- U₃: No, in the evening at 8 'o clock I want to travel from Eindhoven to Reuver.
- S₄: From which station do you want to travel on Saturday July 18 at 8 'o clock in the morning to Utrecht central station?
- U₄: I want to travel tonight at 8 'o clock from Eindhoven to Reuver.
- S₅: So you want to travel from Eindhoven to Zutphen today at 20.00?
- U₆: No, I want to travel from Eindhoven to Reuver today at 20.00.
- S₆: From which station to which station do you want to travel?
etc.

Utterance Features for detecting prior system misunderstandings

■ System

- Implicit/Explicit question

When do you want to travel to Amsterdam?
So you want to travel to Amsterdam?

- Number of verified slots

Date, time, destination, etc.

- Default assumptions: true?

e.g. travel today

- Number, type, and recurrence of errors

Human-labeled

■ User

- Length (in words)

- Answer to verification question?

- Ordinary word order?

I want to go to Amsterdam
Where I want to go is Amsterdam

- Confirmation/Disconfirmation markers


Yes, no, yeah, nope, etc.

- Number of repeated, new, and corrected slots

Stereotype of Dialogue System Grounding (from Chuck and Larry)



Immersion and Breakdown (Martinovski & Traum 2003)

- 
- **Immersion:** human feels engaged in the conversation, communication feels natural, enjoyable
 - Focus on task
 - **Diagnostic:** human having trouble communicating, trying to cooperatively get back to immersion
 - Focus on communication
 - **Breakdown:** human gives up, feels unable or unwilling to proceed naturally
 - Focus on escape/diversion

Strategies for Understanding Errors

- **Prevent them**
 - Structure dialogue to simplify language of user
 - E.g., “please say yes or no”
 - Check correctness of understanding (verification)
 - “I think you said yes, is that correct?”
- **Ignore/minimize them**
 - Structure dialogue to partition responses at a state
 - Predictions of appropriate responses
- **Cope with them**
 - Ground Content: Acknowledge, Request repair, clarify, signal lack of or mis-understanding
 - E.g. "captain i am not understanding you so well"
 - Apologize or take blame: builds social cohesion
 - "my english is not good captain can you repeat that again"
 - Blame user
 - “Stop mumbling”
 - ”you americans, who can understand you”

SPEECH ACTS AND DIALOGUE ACTS

Speech Acts (Austin)

- **How to “Do things” with words**
 - Look at actions & effects of utterances rather than truth-conditions
 - Types of acts
 - Locutionary
 - Illocutionary
 - Perlocutionary

Searle's Speech Act Taxonomy

- **Representatives**
- **Directives**
- **Commissives**
- **Expressives**
- **Declarations**

Issues for Computational Theory of Speech Acts


- **When can an act be recognized**
 - as sincere and successful?
- **What are the effects of performance of an act**
 - On state of hearer and speaker
 - On state of dialogue
- **When should act be performed?**
- **How should act be performed?**

Perrault, Cohen, Allen: Speech acts as Plan Operators

- **Preconditions & Effects (mental states)**
- **Decomposition (indirect speech acts)**
- **Planning and Plan Recognition for Speech acts**

Examples: Plans and Operators for Request

■ Perrault & Cohen '79



■ Allen '83

$\text{REQUEST}(\text{speaker}, \text{hearer}, \text{act})$

Body: $\text{MB}(\text{hearer}, \text{speaker}, \text{speaker WANT hearer DO act})$

Effect: $\text{hearer WANT hearer DO act}$

MULTIFUNCTIONALITY OF UTTERANCES



Multifunctionality

A: Henry, could you take us through these slides?

H: O..w..k..ay.. just ordering my notes



Multifunctionality

A: Henry, could you take us through these slides?

Turn Assign* to Henry; *Request

H: O..w..k..ay.. just ordering my notes



Multifunctionality

A: Henry, could you take us through these slides?

Turn Assign* to Henry; *Request

H: O..w..k..ay.. just ordering my notes

Turn Accept; Stalling; Accept Request; Inform



Multifunctionality

A: Henry, could you take us through these slides?

Turn Assign* to Henry; *Request

H: O..w..k..ay.. just ordering my notes

Turn Accept; Stalling; Accept Request; Inform

Dimensions of communication in dialogue:

- Turn Management
- Time Management
- Task performance
-



Dimensions in dialogue act analysis

Criteria for distinguishing dimensions:

each core dimension should

- correspond to observed forms of communicative behaviour (**be empirically justified**)
- correspond to a well-established class of communicative activities (**be theoretically justified**)
- **be recognizable** with acceptable precision by humans and machines
- be addressable independent of other dimensions (**be 'orthogonal'** to other dimensions)
- **be commonly** represented in existing dialogue act annotation schemes

(Petukhova & Bunt, 2009)



Core dimensions

- **Task:** dialogue acts moving the underlying task forward
- **Auto-Feedback:** providing information about speaker's processing of previous utterances
- **Allo-Feedback:** providing or eliciting information about addressee's processing of previous utterances
- **Turn Management:** allocation of speaker role
- **Time Management:** managing use of time
- **Own Communication Management:** editing one's own speech
- **Partner Communication Management:** editing addressee's speech
- **Social Obligations Management:** dealing with social conventions (greeting, thanking, apologizing,..)
- **Discourse Structuring:** explicitly structuring the dialogue



Core communicative functions

Dimension-specific communicative functions, e.g.:

- ***Turn Release*** (Turn Management)
- ***Stalling*** (Time Management)
- ***Self-Correction*** (Own Communication Management)
- ***Completion*** (Partner Communication Management)
- ***Dialogue opening*** (Discourse Structuring)
- ***Thanking*** (Social Obligations Management)

General-purpose functions, applicable in any dimension, e.g.:

- Information-seeking functions: ***Propositional Question, Set Question, Check Question, Choice Question***
- Information-providing functions: ***Inform, Agreement, Disagreement, Correction***
- Commissive functions: ***Promise, Offer, Accept Suggestion, Decline Suggestion,...***
- Directive functions: ***Request, Instruct, Suggestion, Accept Offer, Decline Offer***

Dialogue Acts – Beyond standard Illocutionary acts

- **Sinclair & Coulthard**
- **Bunt: Dialogue Acts**
- **Novick: Meta-locutionary acts**
- **Traum & Hinkelman: Conversation Acts**
- **Cover multiple dialogue phenomena**
 - Turn-taking
 - Reference
 - Grounding
 - Discourse relations/Adjacency pairs
 - feedback

Levels of Dialogue acts: Traum & Hinkelman 1992


Discourse Level	Act Type	Sample Acts
Sub UU	Turn-taking	take-turn, keep-turn, release-turn, assign-turn
UU	Grounding	Initiate, Continue, Ack, Repair, ReqRepair, ReqAck, Cancel
DU	Core Speech Acts	Inform, YNQ, Check, Eval Suggest, Request, Accept, Reject,
Multiple DUs	Argumentation	Elaborate, Summarize, Clarify Q&A Convince Find-Plan

Clark's levels of coordinated action

Level	Speaker S	Listener L
Conversation	S is proposing activity α	L is considering proposal α
Intention	S is signaling that p	L is recognizing that p
Signal	S is presenting signal σ	L is identifying signal σ
Channel	S is executing behavior β	L is attending to behavior β

Dialogue Approach: Layered Information State

- Layer captures coherent aspect of communicative interaction (e.g., turn, grounding, obligations)
- Layer consists of
 - Information State components (state of interaction)
 - Dialogue Acts (Packages of changes to information state)



Information State Model (Traum & Rickel 2002)

Layer	Info State Components	Dialogue Acts
Contact	Participant contact	Make-contact, break-contact
attention	Participant focus	Show, request, accept
conversation	Conversation, topic, participants	Start-conversation, end-conversation, confirm-start, deny-start, identify-topic, join, leave
Turn-taking	Conversation turn	Take-turn, keep-turn, hold-turn, release-turn, assign-turn
initiative	Conversation initiative	Take-initiative, release-initiative
grounding	Conversation CGUs	Initiate, continue, acknowledge repair, cancel, request-repair
Core	Social State (obligations, commitments, trust) Conversation QUD, Negotiation, CGU contents	Forward: assert, info-req, order, request, thank, greeting, closing, express, check, suggest, promise, offer, apology, encourage, accuse, intro-topic, avoid
		Backward: accept, reject, address, answer, divert, counterpropose, hold, check, clarify-parameter, redirect

- **Conversational interaction: interviewer character**
- **Multimodal detection of psychological signals of distress: PTSD, depression, anxiety**
- **Dialogue model designed for active listening and prompt for signals**



SimSensei: Detecting Psychological Distress through Dialogue & Sensing

**SAMPLE INTERACTIONS
FROM
MULTISENSE & SIMSENSEI
Virtual Humans Group**